

Page 1 of 4

INFORMATION DISCLOSURE STATEMENT	Atty Docket No: P0008383.00	Serial No.: 09/301,842
	Applicant(s): Fernandes, et al.	
	Filing Date: 29-Apr-99	Group: 3763

US PATENT DOCUMENTS

Examiner Initial	+/*	Document Number	Date	Name of Patentee or Applicant of Cited Document	Class	SubClass	Filing Date If Appropriate
		US 4,506,680	25-Mar-86	Stokes			
		US 4,577,642	25-Mar-86	Stokes			
		US 4,585,652	29-Apr-86	Miller, et al.			
		US 4,784,161	15-Nov-88	Skalsky, et al.			
		US 4,873,308	10-Oct-89	Coury, et al.			
		US 4,922,926	08-May-90	Hirschberg, et al.			
		US 4,972,848	27-Nov-90	DiDomenico, et al.			
		US 5,002,067	26-Mar-91	Berthelsen, et al.			
		US 5,009,229	23-Apr-91	Grandjean, et al.			
		US 5,092,332	03-Mar-92	Lee, et al.			
		US 5,103,837	14-Apr-92	Weidlich, et al.			
		US 5,229,172	20-Jul-93	Cahalan, et al.			
	+	US 5,258,023	02-Nov-93	Reger, Vincent A.			
		US 5,265,608	30-Nov-93	Lee, et al.			
		US 5,282,844	01-Feb-94	Stokes, et al.			
		US 5,324,324	28-Jun-94	Vachon, et al.			
		US 5,344,438	06-Sep-94	Testerman, et al.			
		US 5,408,744	25-Apr-95	Gates			
		US 5,431,681	11-Jul-95	Helland			
		US 5,447,533	05-Sep-95	Vachon, et al.			
		US 5,447,724 A	01-Sep-95	Helmus, et al.			
	+	US 5,449,384	12-Sep-95	Johnson, Keith M.			
		US 5,498,744	25-Apr-95	Gates			
		US 5,510,077	23-Apr-96	Dinh, et al.			
		US 5,554,182	10-Sep-96	Dinh, et al.			
		US 5,591,227	07-Jan-97	Dinh, et al.			
		US 5,599,352	04-Feb-97	Dinh, et al.			
		US 5,607,417 A	01-Mar-97	Batich, et al.			
		US 5,609,629	11-Mar-97	Fearnott, et al.			
		US 5,624,411	29-Apr-97	Tuch			

EXAMINER

/Ann Lam/

Date Considered

12/17/2008

Examiner: Initial if reference considered, whether or not citation is in conformance with MPEP609: Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

* - Reference Previously cited and provided to the Examiner.

+ - New Reference not previously cited (available copies included).

Based on Form PTO-FB-A820
(Also form PTO-1449)

Patent and Trademark Office, U.S. Department of Commerce

ALL REFERENCES CONSIDERED EXCEPT WHERE LINED THROUGH. /A.L./

		US 5,645,587	01-Jul-97	Chanda, et al.			
		US 5,679,400	21-Oct-97	Tuch			
		US 5,716,397	01-Feb-98	Myers			
		US 5,727,555	17-Mar-98	Chait			
	+	US 5,788,979	04-Aug-98	Alt, et al.			
		US 5,869,170 A	01-Feb-99	Cima, et al.			
		US 5,889,170 A	01-Feb-99	Cima, et al.			
		US 5,895,419	01-Apr-99	Tweden, et al.			
		US 5,992,067	26-Mar-91	Berthelsen, et al.			

FOREIGN PATENT DOCUMENTS

Examiner Initial	+/*	Document Number	Date	Name	Class	SubClass	Filing Date If Appropriate
	+	EP 0832655 A2	01-Apr-98	Schneider(USA) Inc.			
	+	EP 0953320 A2	03-Nov-99	Medtronic, Inc.			
	+	GB 1,067,118	03-May-97	Edwards Labs, Inc.			
	+	WO 82/02829	02-Sep-82	Spitalul Clinic Fundeni			
	+	WO 91/17744 A	28-Nov-91	Jernberg, Gary R.			
	+	WO 95/28899	02-Nov-95	Medtronic, Inc.			
	+	WO 96/30060	10-Mar-96	Aortech Europe, Ltd.			
	+	WO 97/15245	01-May-97	Medtronic, Inc.			
	+	WO 98/36784	27-Aug-98	Cook, Inc.			

OTHER DOCUMENTS (Including Authors, title, Date, Pertinent Papers, etc.)

Examiner Initial	+/*	Document Cite
	+	, , European Search Report, June 25, 2008
		Ackerman, et al., "Purification of Human Monocytes on Microexudate-Coated Surfaces", Journal Immunol., 120:1372-1374, 1978.
		Alderson, et al., "A Simple Method of Lymphocyte Purification from Human Peripheral Blood", Journal Immunol. Methods, 11:297-301, 1976.

EXAMINER /Ann Lam/**Date Considered** 12/17/2008

Examiner: Initial if reference considered, whether or not citation is in conformance with MPEP609: Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

* - Reference Previously cited and provided to the Examiner.

+ - New Reference not previously cited (available copies included).

Based on Form PTO-FB-A820
(Also form PTO-1449)

Patent and Trademark Office, U.S. Department of Commerce

ALL REFERENCES CONSIDERED EXCEPT WHERE LINED THROUGH. /A.L./

	Anderson, "Mechanisms of Inflammation and Infection with Implanted Devices", Cardiovascular Pathol., 2:335-415, 1993.
	Anderson, "Inflammatory Response in Implants", TASAIO, XXXIV, 101, 1988.
	Boyum, et al., "Density-Dependent Separation of White Blood Cells", Blood Separation and Plasma Fractionation, 217-239, (eds) James Harris, Wiley-Liss, Inc., 1991.
	Brais, et al., "Acceleration of Tissue Ingrowth on Materials Implanted in the Heart", The Annals of Thoracic Surgery, 21:221-229 1976.
	Cardona, et al., "TNF and IL-1 Generation by Human Monocytes in Response to Biomaterials", Journal Biom. Mat. Res., 26:851-859, 1992
	Casas-Bejar, et al., "In vitro Macrophage-Mediated Oxidation and Stress Cracking in a Polyetherurethane", Transactions of the Fifth World Biomaterials Congress, Toronto, Canada, pg. 609, 1996.
	Cenni, et al., "Platelet and Coagulation Factor Variations Induced in vitro by Polyethylene Terephthalate (Dacron) Coated with Pyrolytic Carbon", Biomaterials, 16:973-976, 1995.
	French, et al., "Rifampicin Antibiotic Impregnation of the St. Jude Medical Mechanical Valve Sewing Ring: A Weapon Against Endocarditis", The Journal of Thoracic and Cardiovascular Surgery, 112:248-252, 1996.
	Fujimoto, et al., "Ozone-Induced Graft Polymerization onto Polymer Surface", Journal Polym. Chem., 31:1035-1043, 1993.
	Kadoba, et al., Experimental Comparison of Albumin-Sealed and Gelatin-Sealed Knitted Dacron Conduits", The Journal of Thoracic and Cardiovascular Surgery, 103:1059-1067, 1992.
	Kao, et al., "Role of Interleukin-4 in Foreign-Body Giant Cell Formation on a Poly(etherurethane area) In vivo", Journal Biomed. Mat. Res., 29:1267-1275, 1995.
	Karek, et al., "Pretreatment of Prosthetic Valve Sewing-ring with the Antibiotic/fibrin Sealant Compound as Prophylactic Tool Against Prosthetic Valve Endocarditis", Eur. J. Cardio-thorac Surg., 4:142-146, 1990.
	Leake, et al., "Comparative Study of the Thromboresistance of Dacron Combined with Various Polyurethanes", Biomaterials, 10:441-444, 1989.
	Marchant, et al., "In vivo Biocompatibility Studies. I. The Cage Implant System and a Biodegradable Hydrogel", Journal Biomed. Mat. Res., 17:301-325, 1983.
	Miller, et al., "Generation of ILI-like Activity in Response to Biomedical Polymer Implants: A Comparison of in vitro and in vivo Methods", Journal of Biomed. Mat. Res., 23:1007-1026, 1989.
	Miller, et al., "Human Monocyte/Macrophage Activation and Interleukin-1 Generation by Biomedical Polymers", Journal Biom. Mat. Res., 22:713-731, 1988.
	Mond, et al., "The Steroid-Eluting Electrode: A 10-Year Experience", PACE, 19:1016-1020, 1996.
	Onuki, et al., "Accelerated Endothelialization Model for the Study of Dacron Graft Healing", Annals of Vascular Surgery, 11:141-148, 1997.

EXAMINER /Ann Lam/

Date Considered 12/17/2008

Examiner: Initial if reference considered, whether or not citation is in conformance with MPEP609: Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

* - Reference Previously cited and provided to the Examiner.

+ - New Reference not previously cited (available copies included).

Based on Form PTO-FB-A820
(Also form PTO-1449)

Patent and Trademark Office, U.S. Department of Commerce

ALL REFERENCES CONSIDERED EXCEPT WHERE LINED THROUGH. /A.L./

	Orszulak, et al., "The Risk of Stroke in the early Postoperative Period Following Mitral Valve Replacement", European Journal of Cardiothoracic Surgery, 9:615-620, 1995.
	Perier, et al., "Comparison of Thromboembolic and Anticoagulant-Related Complications After Aortic Valve Replacement Using Starr Edwards, Bjork-Shiley and Porcine Valve Prostheses", Bodnar E. Yacoub M. (eds). Biologic and Bioprosthetic Valves: York Medical Books, 511-520, 1986.
	Rubin, et al., "Preincubation of Dacron Grafts with Recombinant Tissue Factor Pathway Inhibitor Decreases their Thrombogenicity InVivo", Journal of Vascular Surg., 24:865-870, 1996.
	Schubert, et al., "Oxidative Biodegradation Mechanisms of Biaxially Strained Poly(etherurethane area) Elastomers", Journal Biomed. Mat. Res., 29:337-347, 1995.
	Schwartz, et al., "Local Anticoagulation of Prosthetic Heart Valves", Circulation, 43 (Suppl III) pp85-89, 1973.
	Shanbhag, et al., "Macrophase/Particle Interactions: Effects of Size, Composition and Surface Area", Journal Biomed. Mat. Res., 28:81-90, 1994.
	Shankar, et al., "Chapter 5: Inflammation and Biomaterials", Implantation Biology, Host Response and Biomedical Devices, (eds) Ralph S. Greco, CRC Press, Inc., Boca Raton, FL pp67-84, 1994.
	Stokes, et al., "Polyurethane Elastomer Biostability", Journal of Biomaterials Applications, 9:321-354, 1995.
	Takahashi, "Absorption of Basic Fibroblast Growth factor onto Dacron Vascular Prosthesis and its Biological Efficacy", Artif Organs, 21:1041-1046, 1997.
	Tweden, et al., "Accelerated Healing of Cardiovascular Textiles Promoted by an RGD Peptide", Journal Heart Valve Dis, 4 (Suppl I), ppS90-97, 1995.
	Van Der Lei, et al., "Improved Healing of Small-Caliber Polytetrafluorethylene Prostheses by Induction of a Clot Layer: A Review of Experimental Studies in Rats", International Angiology, 10:202-208, 1991.
	Wilkerson, et al., "Biomaterials Used in Peripheral Vascular Surgery (eds) Ralph S. Greco, CRC Press, Inc., Implantation Biology: The host Responses and Biomedical Devices, PP179-190, 1994.
	Zhao, et al., "Cellular Interactions and Biomaterials: In vivo Cracking of Pre-stressed Pellethane 2363 80A", Journal Biom. Mat. Res., 24:621-637, 1990.
	Zhao, et al., "Glass Wool-H2O2/CoCl2 Test System for In Vitro Evaluation of Biodegradative Stress Cracking in Polyurethane Elastomers", Journal Biomed. Mat. Res., 29:467-475, 1995.

EXAMINER /Ann Lam/	Date Considered 12/17/2008
Examiner: Initial if reference considered, whether or not citation is in conformance with MPEP609: Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant. * - Reference Previously cited and provided to the Examiner. + - New Reference not previously cited (available copies included).	

Based on Form PTO-FB-A820
(Also form PTO-1449)

Patent and Trademark Office, U.S. Department of Commerce

ALL REFERENCES CONSIDERED EXCEPT WHERE LINED THROUGH. /A.L./